KE: MM Docket # 99-35 Hello RECEIVED I wish to comment

Ocket file copy original

The FCC Markhooms at ion regarding Jublic interest. I do not feel the interest of the public is being served by radio Stations playing the same musto the other stations are playing We don't need Son Stations on the Same Instening area per all phyona Smashing, Jum Kons, fearl Jam, Countons Crows, and Melossa Etherodge what we do need as at least one states with comparable sauge, or a few station with besses range playing other band I the same musocal category, Calternation new rock, punk). This is not happening traut of to happen - Pease Consider = This voew point when you consider. repeal or moder fication of your rues. There is so much interesting in

Contracts Outline

- 1. arises any time either pary breaches before contr. is performed (ie not a bfeach of warranty which is also a breach of contract)
- 2. 2-611 Allows breacher to repudiate his breach

 if the aggrieved party has not materially changed

 his position or other wise indicated ha considers

 the repudiation final
- 3. 2- 610 aggrieved pties remedies
 - a. await performance for a reasonable time.
 - b. resort to any previous remedy even if he tells the breacher he will wait.
 - (1.) Note 4 in explanation per Friedman indicates the seller might have to notify repudiating buyer or vice versa of his intention not to wait for a repudiation.

IF pay money get 20% back 2-718)

Outside the pay money get 20% back 2-718)

Outside the pay money get 20% back 2-718)

OUTLINING OF LECTURES 8/26/80 up to but not includ


9/16/80

Di

not being played at ask any employed at an Independent (remember small business?) record store what they would little to bear and their ans wer will be any thing-but what is now heard. "The radio is really slow. I can't hardly listen to it any more."


- Bob du Rivage would be listener

 $\gamma \gamma \gamma$



616-929-1761 fax 616-929-3626

CD Dimensions and Print Specifications



18.0 mm - print to center maximum diameter

) film must be prepared right reading, emulsion up, film positive, actual size. No bleeds are allowed. Registran marks must be at every 90°. Separate films must be provided for each color. Halftone line rules should be 86 smaller. Standard type should be a minimum of 4 point, reverse type should be a minimum of 6 point. is drawing may be used as a general reference, however, the duplication process may have altered the image. t the most accurate results please use the numerical dimensions.

Note: Please make sure that your print vendor adheres to the dimensions noted. Films that do not meet these specifications will slow down your production and may incur additional charges.

Bob duRivage Box 10101 Detroit, MI 48210

THE THE

IISA30

Office of Secretary
1919 M St NW
1919 M St NW
Wash. D.L. 20554